

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 11 Real Tuff



	1
MATERIAL	
SAFETY	
INFORMATION	١
ECO)//CC	
SERVICE	

Date Prepared: 3/3/1994	ate Prepared: 3/3/1994 Last Reviewed: 4/13/2006			Hercules Chemical Company Inc. 111 South Street		
Meets OSHA 29 CFR 1910.1200		 Passaic NJ 07055 Phone (800) 221-9330 Fax (800) 333-3456 				
Section 2 - Hazardous Ingree	dients/Identity Information					
Hazardous Components (Specifi Common Name(s), CAS Number		ACGIH TLV	Other Limits	Upper Bound Limit if SARA		
This product is not classified a	s bazardous in accordance with OS	HA 1010 1200 E	or product at	Reportable		

This product is not classified as hazardous in accordance with OSHA 1910.1200. For product at ambient conditions no known hazards exist. See parts 4 & 5 below for information about polytetrafluoroethylene (9002-84-0) at high temperature conditions.

HMIS Hazard Rating: Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: A

Section 3 - Physical/C	Chemical Characterist	tics				
Boiling Point (°F):		Specific Gravity (H2O = 1):	Vapor Density (Air = 1):	•	oor Pressur (mm Hg):	
N/A		1.56	N/A		N/A	
Melting Point (° F)	Evaporation Rate: (Butyl Acetate = 1)	Solubility in Water:				
620	,	Insoluble				
Appearance And Color:	White thixotropic	paste	Odor: None			
Section 4 - Fire And	Explosion Hazard Da	nta				
Flash Point:			Flammable Limits	LEL:	UEL:	
N/A			N/A			

Extinguishing Media: Dry chemical, foam, carbon dioxide

Special Firefighting Procedures:

Use water to cool fire exposed containers. If a leak or spill has not ignited, use water spray to disperse the vapors to provide protection for personnel.

Unusual Fire And Explosion Hazards:

Toxic fumes given off above 600° F (315° C) Continued on Next Page

Section 5 - Reactivity Data				
Stability: Stable	Conditions To Avoid: None.			
Incompatability (Materials To Avoid):	Polytetrafluoroethylene not compatible with molten alkali metals.			
Hazardous Decompo	sition: CO2 and CO form on burning			
Hazardous Polymeriz	ation: Will not occur			
Section 6 - Health Hazard Data				

Routes of Entry	Inhalation N/A		Skin YES/Primary	Ingestion YES/Secondary	
Health Hazards None					
Carcinogenicity	NTP NO	IARC NO	OSHA Regulated NO		
Signs And Sympt	oms of Exposure:				
None: Could be	mildly irritating to	certain person	ns on prolonged contact.		
Medical Condition None known	s Generally Aggra	vated By Exposi	sure:		
Emergency And F	irst Aid Procedure	es:			
			5	should eye contact occur, flush eyes with iting, get medical attention.	

Continued on Next Page

Section 7 - Prec	autions I	For Safe Handling And Use:		
Steps To Be Taker	n In Case I	Material Is Released Or Spilled:		
Use absorbent m	aterial an	d sweep up.		
Waste Disposal M	ethod:			
Non Hazardous L	andfill			
Precautions To Be	Taken In	Handling And Storing:		
None				
Other Precautions	5:			
Keep away from	direct cor	ntact with open flame or sparks.		
Section 8 - Cont	trol Meas	ures:		
Respiratory Prote N/A	ction:			
Ventilation: Local Exhaust		Normal ventilation	Special	N/A
Mech	anical	N/A	Other:	N/A
Gloves:	Rubber	gloves		
Eye Protection:	Goggles	or safety glasses		
Other Protective Clothing: None required				
Work/Hygienic Pra	ctice: \	Wash up after handling the material.		





SAFETY

SERVICE

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.