



# EXCEL STAINLESS STEEL CLEANER

## DESCRIPTION

EXCEL is a USDA authorized non-abrasive metal surface cleaner. Using emulsifiers and surfactants in a foaming cleaner, this product cleans, shines and polishes in one step. Leaves a long lasting protective coating. Will not scratch or score metal surfaces.

## APPLICATIONS

An effective cleaner for stainless steel, porcelain, aluminum, metal surfaces and tile. Cleans and polishes surfaces to remove grease, oil, grime, stains and other oily residues.

## FEATURES & BENEFITS

- Convenient one-step process cleans, polishes, brightens and protects
- Removes water spots, spills and food stains
- Pleasant fragrance
- No CFC's

## SPECIFICATIONS

FORM: Water Based Aerosol Foam  
 ODOR: Slight Lemon  
 COLOR: White  
 DETERGENCY: 3.0%  
 TOXICITY: 1000 ppm OSHA TLV  
 WETTING ABILITY: Saturates  
 STORAGE STABILITY: 1 Year +  
 COLD STABILITY: 32°F  
 PHOSPHATES: None

FLASH POINT: None  
 FLAME EXTENSION: None  
 SOLUBILITY IN WATER: 77%  
 SPECIFIC GRAVITY: 0.94  
 % VOLATILE BY VOLUME: 77%  
 pH: 6.7  
 PROPELLANT: Hydrocarbon  
 EVAPORATION RATE: Slow  
 BIODEGRADABILITY: Yes

## LABEL INFORMATION

### EXCEL STAINLESS STEEL CLEANER

This product is an excellent cleaner formulated for hospital, school, hotel, motel, office, restaurant, locker, restroom, factory and institutional use. It cleans, brightens, polishes and protects stainless steel. Can be equally effective for use on aluminum, chrome, formica, porcelain and ceramic tile. A minimum of effort is required to remove smudges, soil and stains quickly—no hard rubbing needed. It actually forms a shield that resists watermarks and rusting. This formula is authorized by the USDA for use in federally inspected meat and poultry plants.


**DIRECTIONS FOR USE:** Shake well. Remove protective cap and point spray opening in desired direction. Holding container 6 to 12 inches from surface to be cleaned, spray product sparingly and wipe clean.

**CAUTION:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator.

**CONTAINS (CAS#):** Water (7732-18-5), Isoparaffinic Hydrocarbon (64742-47-8), Propane/n-Butane (68476-86-8), Polydimethyl Siloxane (63148-62-9), Fragrance Oil (N/A).



HEALTH	1
FLAMMABILITY	1
REACTIVITY	1
PERSONAL	A



## PACKAGING INFORMATION

12 – 20 oz cans per case, 18 oz net weight