

Smith Art

## DEL PAINT MFG -- ENAMEL -- 8010-00-297-2010

## ===== Product Identification =====

Product ID: ENAMEL *Various*  
 MSDS Date: 11/17/1995  
 FSC: 8010  
 NIIN: 00-297-2010  
 Status Code: A  
 MSDS Number: CKZBY  
 === Responsible Party ===  
 Company Name: DEL PAINT MFG  
 Address: 3105 EAST RENO  
 City: OKLAHOMA CITY  
 State: OK  
 ZIP: 73117  
 Country: US  
 Info Phone Num: 405-672-1431  
 Emergency Phone Num: 1-800-424-9300  
 Preparer's Name: ERNEST CARTER  
 Chemtrec Ind/Phone: (800) 424-9300  
 CAGE: 39934

## ===== Contractor Identification =====

Company Name: DEL PAINT MFG  
 Address: 3105 EAST RENO  
 Box: City: OKLAHOMA CITY  
 State: OK  
 ZIP: 73117  
 Country: US  
 Phone: 405-672-1431  
 CAGE: 39934

## ===== Composition/Information on Ingredients =====

Ingred Name: METHYL ALCOHOL  
 CAS: 67-56-1  
 RTECS #: PC1400000  
 > Wt: .33  
 OSHA PEL: 260 MG/M3; 200 PPM  
 ACGIH TLV: 262 MG/M3; 200 PPM  
 ACGIH STEL: 328 MG/M3; 250 PPM  
 EPA Rpt Qty: 5000 LBS  
 DOT Rpt Qty: 5000 LBS

Ingred Name: NAPHTHA, SOLVENT  
 CAS: 8052-41-3  
 RTECS #: WJ8925000  
 = Wt: 44.89  
 OSHA PEL: 2900 MG/M3; 500 PPM  
 ACGIH TLV: 525 MG/M3; 100 PPM

## ===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: UNKNOWN Ingestion: YES  
 Health Hazards Acute and Chronic: DERMAL, INHALATION, INGESTION  
 Effects of Overexposure: VAPORS ARE INTOXICATING AND NARCOTIC THEY ALSO  
 CAUSE IRRITATION TO THE MUCOUS MEMBRANES OF THE LUNG, SKIN CONTACT  
 PRODUCES REDNESS EYE CONTACT PRODUCES REDNESS AND PAIN.  
 Medical Cond Aggravated by Exposure: DISEASES OF THE RESPIRATORY SYSTEM

===== First Aid Measures =====

First Aid: IF INGESTED: SKIN-REMOVE CONTAMINATED CLOTHING SHOWER OR RINSE SKIN WITH PLENTY OF WATER EYE-RINSE WITH COPIUS AMOUNTS OF WATER, TRANSPORT TO PHYSICIAN IF NECESSARY: INHALATION-REMOVE TO FRESH AIR. INGESTION-RINSE MOUTH AND DRINK PLENTY OF WATER.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:=37.8C, 100.F  
Lower Limits:0.9  
Extinguishing Media:FOAM, ALCOHOL, FOAM, CO2, DRY CHEMICAL  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE MODE.  
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND OR MAY BE MOVED BY VENTILATION AND IGNITED BY PILOT LIGHTS. AND OTHER FLAMES. SPARKS. HEATERS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID ON PAPER, VERMICULITE, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL AND TRANSFER TO HOOD.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A CLEAN DRY AREA. KEEP AWAY FROM FOOD PRODUCTS KEEP AWAY FROM SPARKS, FIRES AND REMOTE IGNITION SOURCES  
Other Precautions:THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH DEL PAINT OR NOT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV OF THE PRODUCT OR ANY COMPONENT IS EXCEEDED, A NIOSH/MSHA JOINTLY APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.  
Ventilation:PROVIDE VENTILATION SUFFICIENT TO MAINTAIN EXPOSURE BELOW TLV'S,  
Protective Gloves:WEAR RESISTANT GLOVES SUCH AS BUNA-N  
Eye Protection:SPLASH GOGGLES OR SAFETY GLASSES (CONSULT YOUR SAFETY EQUIPMENT SUPPLIER)  
Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS  
Work Hygienic Practices:WASH HANDS AND FACE BEFORE EATING  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=182.2C, 360.F  
Vapor Density:HEAVIER  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:64.85

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:DO NOT STORE NEAR HEATED SURFACES, OPEN  
FLAMES, OR IGNITION SOURCES.

Hazardous Decomposition Products:CARBON DIOXIDE AND WATER ARE FORMED ON  
COMBUSTION

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL OF WASTE MATERIAL MUST COMPLY WITH  
FEDERAL, STATE AND LOCAL REGULATION IF APPROVED, IT MAY BE REMOVED  
TO LICENSED LAND FILL

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.