

advertisements

AMERICAN TOOL COMPANIES, INC. WILMINGTON DIVISION -- STRAIT-LINE MARKING CHALK, BLUE --
7510-01-189-3449

=====
Product Identification
=====

Product ID:STRAIT-LINE MARKING CHALK, BLUE
MSDS Date:03/01/1995
FSC:7510
NIIN:01-189-3449
MSDS Number: CHKJD
=== Responsible Party ===
Company Name:AMERICAN TOOL COMPANIES, INC. WILMINGTON DIVISION
Address:92 GRANT STREET
City:WILMINGTON
State:OH
ZIP:45177
Country:US
Info Phone Num:513-382-3811 8-5 EDT
Emergency Phone Num:513-382-3811 8-5 EDT
Preparer's Name:JEFF CURRY
CAGE:LO617
=== Contractor Identification ===
Company Name:AMERICAN TOOL COMPANIES INC
Address:92 GRANT ST
Box:City:WILMINGTON
State:OH
ZIP:45177
Country:US
Phone:513-382-3811
CAGE:LO617

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE LD50 6450 MG/KG RAT ORAL
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 70-80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3T/5 R
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:SODIUM ALUMINO SULPHOSILICATE LD50 >10000 MG/KG NAV: ORAL
CAS:57455-37-5
Fraction by Wt: 10-20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:SILICA, CRYSTALLINE - QUARTZ LC50 300 UG/M
CAS:14808-60-7
RTECS #:VV7330000
Fraction by Wt: <1.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3 RDUST
ACGIH TLV:0.1 MG/M3 RDUST

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION.
Explanation of Carcinogenicity:CRYSTALLINE SILICA IS LISTED BY IARC AS
A HUMAN CARCINOGEN.
Medical Cond Aggravated by Exposure:PERSONS W/CHRONIC RESPIRATORY
DISEASES MAY BE AT INCREASED RISK WHEN EXPOSED TO DUST OVER
RECOMMENDED LEVELS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, GET MED AID. SKIN: WASH W/MILD SOAP & WATER. INGEST: DO NOT INDUCE VOMITING. GIVE 2-3 GLASSES WATER MINIMUM.

=====
Fire Fighting Measures
=====

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NA
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:NO SPECIAL PRECAUTIONS NECESSARY. AVOID FLUSHING LARGE QUANTITIES INTO DRAINS.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE NEAR ACIDS.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WEAR NIOSH APPROVED RESPIRATOR WHEN EXPOSED TO DUST OVER RECOMMENDED LEVELS.
Ventilation:ADEQUATE TO CONTROL DUSTING.
Protective Gloves:NOT REQUIRED.
Eye Protection:GLASSES OR GOGGLES
Other Protective Equipment:NONE
Work Hygienic Practices:NA
Supplemental Safety and Health
PH ADDITIONAL: 8.6 TO 8.8

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:1500F,816C
Decomp Temp:Decomp Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:2.6
pH:*
Viscosity:NKNK
Evaporation Rate & Reference:NA
Solubility in Water:<.0002 (TRACE)
Appearance and Odor:ODORLESS BLUE POWDER
Percent Volatiles by Volume:NA
Corrosion Rate:NA

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
REACTS VIOLENTLY W/FLUORINE.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:WITH ACIDS, HYDROGEN SULFIDE MAY BE RELEASED.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF AS NON-HAZARDOUS WASTE IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.